



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: TerraFirma Foundation
Systems
761 Garden Valley Blvd
Roseburg, OR 97470 USA

RADON RESULTS SUMMARYDetailed individual reports available online at DrHomeAir.com/Results

Short Term (Activated Charcoal)

EPA-402-R-92-004

Project: Glendale High School**Date Received:** 9/23/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE903776	2200456	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Gymnasium	Slab	Yes	8:33 AM	8:38 AM	1.0 pCi/L
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
2)	AE903769	2200452	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Gymnasium	Slab	Yes	8:34 AM	8:39 AM	0.6 pCi/L
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
3)	AE903745	2200433	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Multipurpose Room	Slab	Yes	8:36 AM	8:42 AM	1.1 pCi/L
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
4)	AE903746	2200434	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Multipurpose Room	Slab	Yes	8:36 AM	8:42 AM	1.1 pCi/L
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
5)	AE903747	2200435	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Drama Room	Slab	Yes	8:40 AM	8:49 AM	0.8 pCi/L
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
6)	AE903748	2200436	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Shop Office	Slab	Yes	8:41 AM	8:45 AM	<0.9 pCi/L *
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
7)	AE903753	2200441	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Wood Shop	Slab	Yes	8:42 AM	8:46 AM	<0.6 pCi/L *
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
8)	AE903754	2200442	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Metal Shop	Slab	Yes	8:44 AM	8:48 AM	<0.4 pCi/L *
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [Signature] NJ MES: 11306 Date 9/23/2020



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: TerraFirma Foundation
Systems
761 Garden Valley Blvd
Roseburg, OR 97470 USA

RADON RESULTS SUMMARYDetailed individual reports available online at DrHomeAir.com/Results

Short Term (Activated Charcoal)

EPA-402-R-92-004

Project: Glendale High School**Date Received:** 9/23/2020

	Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE903777	2200457	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Weight Room	Slab	Yes	8:45 AM	8:44 AM	0.8 pCi/L
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
10)	AE903755	2200443	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Front Office	Slab	Yes	8:48 AM	8:05 AM	0.9 pCi/L
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
11)	AE903756	2200444	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Office	Slab	Yes	8:49 AM	8:05 AM	0.6 pCi/L
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
12)	AE903752	2200440	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Principal's Office	Slab	Yes	8:51 AM	8:06 AM	0.6 pCi/L
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
13)	AE903751	2200439	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Sp. Ed. Overflow	Slab	Yes	8:52 AM	8:07 AM	<0.9 pCi/L *
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
14)	AE903750	2200438	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Edg	Slab	Yes	8:55 AM	8:09 AM	1.6 pCi/L
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
15)	AE903749	2200437	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Science Ffa	Slab	Yes	8:56 AM	8:10 AM	<0.6 pCi/L *
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	
16)	AE903773	2200453	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Art	Slab	Yes	8:57 AM	8:13 AM	1.1 pCi/L
				Not Provided	Personal Knowledge		9/18/2020	9/21/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [Signature] NJ MES: 11306 Date 9/23/2020



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: TerraFirma Foundation
Systems
761 Garden Valley Blvd
Roseburg, OR 97470 USA

RADON RESULTS SUMMARYDetailed individual reports available online at DrHomeAir.com/Results

Short Term (Activated Charcoal)

EPA-402-R-92-004


Project: Glendale High School**Date Received:** 9/23/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17) AE903774	2200454	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Home Ec. Not Provided	Slab Personal Knowledge	Yes	8:59 AM 9/18/2020	8:14 AM 9/21/2020	0.6 pCi/L
18) AE903775	2200455	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	H5 Not Provided	Slab Personal Knowledge	Yes	9:01 AM 9/18/2020	8:16 AM 9/21/2020	2.0 pCi/L
19) AE903779	2200459	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	H3 Not Provided	Slab Personal Knowledge	Yes	9:02 AM 9/18/2020	8:16 AM 9/21/2020	2.5 pCi/L
20) AE903778	2200458	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	H1 Not Provided	Slab Personal Knowledge	Yes	9:03 AM 9/18/2020	8:18 AM 9/21/2020	2.5 pCi/L
21) AE903758	2200446	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	H1 - Duplicate Not Provided	Slab Personal Knowledge	Yes	9:03 AM 9/18/2020	8:18 AM 9/21/2020	1.8 pCi/L
22) AE903759	2200447	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	H2 Not Provided	Slab Personal Knowledge	Yes	9:05 AM 9/18/2020	8:19 AM 9/21/2020	2.7 pCi/L
23) AE903760	2200448	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	H4 Not Provided	Slab Personal Knowledge	Yes	9:06 AM 9/18/2020	8:21 AM 9/21/2020	1.8 pCi/L
24) AE903757	2200445	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	H6 Not Provided	Slab Personal Knowledge	Yes	9:07 AM 9/18/2020	8:22 AM 9/21/2020	0.7 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director  NJ MES: 11306 Date 9/23/2020



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: TerraFirma Foundation
Systems
761 Garden Valley Blvd
Roseburg, OR 97470 USA

RADON RESULTS SUMMARYDetailed individual reports available online at DrHomeAir.com/Results

Short Term (Activated Charcoal)

EPA-402-R-92-004

Project: Glendale High School**Date Received:** 9/23/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25) AE903783	2200460	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Computer Room Not Provided	Slab Personal Knowledge	Yes	9:09 AM 9/18/2020	8:26 AM 9/21/2020	1.3 pCi/L
26) AE903787	2200462	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Library Not Provided	Slab Personal Knowledge	Yes	9:11 AM 9/18/2020	8:23 AM 9/21/2020	1.2 pCi/L
27) AE903786	2200461	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Library Not Provided	Slab Personal Knowledge	Yes	9:11 AM 9/18/2020	8:23 AM 9/21/2020	1.4 pCi/L
28) AE903733	2200427	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	J1 Not Provided	Slab Personal Knowledge	Yes	9:14 AM 9/18/2020	8:29 AM 9/21/2020	3.1 pCi/L
29) AE903737	2200429	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Jennifer's Office Not Provided	Slab Personal Knowledge	Yes	9:15 AM 9/18/2020	8:30 AM 9/21/2020	4.0 pCi/L
30) AE903740	2200430	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Jennifer's Office - Not Provided	Slab Personal Knowledge	Yes	9:15 AM 9/18/2020	8:30 AM 9/21/2020	4.3 pCi/L
31) AE903744	2200432	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	J3/j4 Not Provided	Slab Personal Knowledge	Yes	9:16 AM 9/18/2020	8:33 AM 9/21/2020	2.1 pCi/L
32) AE903734	2200428	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	J3/j4 Not Provided	Slab Personal Knowledge	Yes	9:16 AM 9/18/2020	8:33 AM 9/21/2020	2.1 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [Signature] NJ MES: 11306 Date 9/23/2020



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: TerraFirma Foundation
Systems
761 Garden Valley Blvd
Roseburg, OR 97470 USA

RADON RESULTS SUMMARYDetailed individual reports available online at DrHomeAir.com/Results

Short Term (Activated Charcoal)

EPA-402-R-92-004

Project: Glendale High School**Date Received:** 9/23/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33) AE903761	2200449	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Boardroom Not Provided	Slab Personal Knowledge	Yes	9:19 AM 9/18/2020	8:32 AM 9/21/2020	2.0 pCi/L
34) AE903788	2200463	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	J2 Not Provided	Slab Personal Knowledge	Yes	9:20 AM 9/18/2020	8:35 AM 9/21/2020	2.1 pCi/L
35) AE903766	2200450	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Library Not Provided	Slab Personal Knowledge	Yes	9:11 AM 9/18/2020	8:23 AM 9/21/2020	<0.4 pCi/L *
36) AE903741	2200431	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Boardroom Not Provided	Slab Personal Knowledge	Yes	9:20 AM 9/18/2020	8:32 AM 9/21/2020	<0.3 pCi/L *
37) AE903768	2200451	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Edg Not Provided	Slab Personal Knowledge	Yes	8:55 AM 9/18/2020	8:09 AM 9/21/2020	<0.5 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of $\pm 5\%$ when used according to directions.*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director [Signature] NJ MES: 11306 Date 9/23/2020



2501 Mayes Road, Ste 100
Carrollton, TX 75006
(800) 324-5928
www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL

STATE ID#: N/A

NJ MEB#: MEB 90095

Client: TerraFirma Foundation
Systems
761 Garden Valley Blvd
Roseburg, OR 97470 USA

REPORT NOTES PAGE

Report Notes

Project: Glendale High School

Kit Serial	Test Address	Placement Notes	Retrieval Notes
1) AE903746	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Duplicate	
2) AE903758	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Duplicate	
3) AE903786	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Duplicate	
4) AE903740	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Duplicate	
5) AE903734	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Duplicate	
6) AE903766	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Blank	
7) AE903741	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Blank	
8) AE903768	10598 Azalea-Glen Rd. Glendale, OR 97442 USA	Blank	

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director R. Felt NJ MES: 11306 Date 9/23/2020

Report Notes Page